olass

tiles - mosaics - trim













LOOK FOR THIS LOGO!

Products noted with this logo are stocked in our Central Service Center.

Orders placed before noon are available within 1 business day.

Table of Contents

Artistic Stone Collection

	Color Splash
3\	/ Glass Chicago
~	
Jr	Convergence 8 Ebb & Flow 10 Glass Blox % 12 Sideview 16
Si	cis
	Glimmer 18 Iridium 20 Murano Smalto 22 Natural 24 NeoGlass 26 WaterGlass 30
Gl	ass Guidelines
	Substrates & Setting Materials



This product has been manufactured in the USA and may be within a 500 mile radius of the jobsite, thus contributing to LEED™ MR Credit #5.



These tiles contain recycled content.



A percentage of product sales goes to breast cancer research.





Color Splash Glass gets its color from inkjet printing. The color of the tile is applied to the back side of the glass and the surface of the tiles have a raised texture, with a polished finish.

Special Order Item: Please allow a 2 week lead time plus applicable freight charges



6x6 Prism Glow



6x6 Ultra Marine



product notes & availability

Gosford Glass is a waterjet cut glass and stone blend.

Hexy sold by 10.75x10.75 Sheets; Frames sold by 11.75x11.75 Sheets

Special Order Item: Please allow a 2 week lead time plus applicable freight charges





Terrigal Blend Frames



Avoca Blend Frames



Wamberal Blend Frames




product notes & availability

Little Sandy Glass Pebbles are made from 100% recycled material. Sold by 11.25x11.25 Sheets

Special Order Item: Please allow a 2 week lead time plus applicable freight







Mirage Blend Matte



Sandy Desert Matte

artistic stone collection artistic stone collection



Medium Blue Glass 3x9 Tile

product notes & availability

Mosaics sold by 12x12 Sheets unless otherwise noted

Special Order Item: Please allow a 1-2 week lead time pending availability plus applicable freight charges

Noted items ara available in stock via QuickSHIP



Light Blue Glass 3x9 Tile



Linen Glass 3x12 Tile



Antique Mirror 4x8 Beveled Tile





Dark Blue Glass 3x9 Tile



Ice Denim Glass Random Strip 6x18



Silver Mirror Glass 2" Cube (11.81x12.48 Sheet)



Silver Chevron Metallic Glass (11.83x11.73 Sheet)



White Shadow Random Thin Strip Glass Mix



Palladin Gray Mix 3" Hex (11.81x11.81 Sheet)



Antique Mirror Lantern (9x12 Sheet)



Silver Weave Random Strip Glass Mix



Misty Gray Herringbone Glass (12.4x11 Sheet)



Antique Mirror Soft Harmony Feathers (9x10 Sheet)




Iron Staircase Random Strip (Glass, Marble, Slate)

6 by glass bv glass 7



size available in all colors



4x4 Mosaic


Edge-grain woods in vibrant colors, Convergence is recommended for interior walls in wet or dry applications.


Thickness – 6mm

Mosaics sold by 12x12 Sheets

Special Order Item: Please allow a 1 week lead time










CON04 Pigeon

CON03 Sepia







CON02 Chardonnay

CON05 Orchid


CON07 Currant







CON06 Indigo

CON08 Peacock









1/2x1/2 Mosaic 1/2x3 Stacked Mosaic

Mixed Linear Mosaic

product notes & availability

Ebb & Flow is a blend of natural stone and glass, capturing the rhythmical patterns found in nature and life. It offers a spectrum of natural stones, from the soft, subtle hues of travertine to the polished elegance of marble accented by lustrous glass.


Thickness – 1/4"

Mosaics sold by 12x12 Sheets; Mixed Linear Mosaic by 12x13 Sheets; Sizes available only in colors shown

Special Order Item: Please allow a 1 week lead time









EF05 Rocks and Minerals


Stacked



EF09 Cinders and Smoke

1/2"


1/2"




EF06 Wind and Rain

EF02 Moon and Stars

Stacked











EF06 Wind and Rain Linear



EF02 Moon and Stars Linear



EF07 Sticks and Stones Linear




EF08 Dusk and Dawn Linear



EF09 Cinders and Smoke Linear

10 crossville





^{*1/2}x2 Solid Mosaic available in G046, G047, G048, G071, G076, G083 and G153 only

product notes & availability


Glass Blox has a translucent appearance that incorporates the look of natural elements – water, air and sky. It is a clear glass with epoxy coated color backing.

Thickness - 1/4"

Mosaics sold by 12x12 Sheets

Custom Blends are available in 1x1, 1/2x2 or 2x4 Mosaics. These require longer lead times and additional set-up charges will apply.

Special Order Item: Please allow a 1 week lead time









1/2x2 blend mosaics

1x1 blend mosaics



GB13 Dusk / Taupe Fog / Brandy



GB14 Champagne / Honey / Iced Tea



GB12 Dewdrop / Olive Mist / Deep Sea



GB11 Blue Haze / Ocean Air / North Sea


GB02 Orange Sizzle / Flame / Dazzle Red




GB04 Moonbeam / Lemon Zest / Lime Shimmer




GB05 Moonbeam / Clear Sky / Aqua Gleam




GB03 Angel Fish / Blue Grotto / Purple Zing



GB10 Sunrise / Rose Aura / Flame



GB01 Moonbeam / Black Magic




GB06 Angel Fish / South Sea / Glacier



GB08 Mermaid / Vivid Teal / Sapphire



GB07 South Sea / Aegean / Blue Grotto



GB09 Sapphire / Mermaid / Aegean

14 crossville crossville crossville





product notes & availability

Sideview is a collection of multi-beveled glass tile. It is recommended for interior walls in wet or dry applications. It cannot be used in water applications such as pool liners, fountains or spas.

Thickness – 8mm (mosaic or 3x12 accent); 16mm (liner)

Mosaics sold by 12x12 Sheets


Special Order Item: Please allow a 1 week lead time



16 crossville crossville crossville



sizes available in all colors



5/8x5/8 Mosaic


Glimmer Glass is made by melting various minerals at very high temperatures. Thanks to these precious minerals, the glass has a glossy or iridescent effect which results in distinctive color variation.

Thickness - 3/16"

Mosaics sold by 12x12 Sheets


Special Order Item: Please allow a 1 week lead time plus applicable freight charges







sizes available in all colors



5/8x5/8 Mosaic


Iridium Glass is made by melting various minerals at very high temperatures. Thanks to these precious minerals, the glass has a glossy or iridescent effect which results in distinctive color variation. Each color is a blend of colors and shades which enhances the iridescent effect.

Thickness - 3/16"

Mosaics sold by 12x12 Sheets


Special Order Item: Please allow a 1 week lead time plus applicable freight charges







sizes available in all colors



5/8x5/8 Mosaic


Murano Smalto Glass is made of Murano glass paste. These materials are obtained by melting various minerals at very high temperatures. Thanks to these precious minerals, the glass has a glossy effect which results in distinctive color variation.


Thickness - 3/16"

Mosaics sold by 12x12 Sheets


Special Order Item: Please allow a 1 week lead time plus applicable freight charges







sizes available in all colors




5/8x5/8 Mosaic

Natural Glass is made of glass paste. These materials are obtained by melting various minerals at very high temperatures. Thanks to these precious minerals, the glass has a glossy effect which results in distinctive color variation.

Mosaics sold by 12x12 Sheets

Special Order Item: Please allow a 1 week lead time plus applicable freight charges





Flamingo



Iceberg



Sandalwood

Cinnamon

Rosewood




Wenge




sizes available in all colors



7/8x2 Domes Mosaic



3/4" Barrels Mosaic




7/8x7/8 Cubes Mosaic

Neo Glass is a rustic cast glass which is colored throughout and may contain irregularities including bubbles and folds. These characteristics add personality and depth to the final installation. Since the tile is translucent, back-buttering with white thinset is a requirement.


Mosaics sold by 11x11 Sheets (Domes), 11x12 Sheets (Barrels) or 12x12 Sheets (Cubes)


Special Order Item: Please allow a 1 week lead time plus applicable freight charges




























Jute Domes



Wool Domes







5/8x5/8 Mosaic

product notes & availability


Water Glass is made by melting various minerals at very high temperatures. Thanks to these precious minerals, the glass has a glossy effect which results in distinctive color variation.

Thickness - 3/16"

Mosaics sold by 12x12 Sheets

Special Order Item: Please allow a 1 week lead time plus applicable freight charges





GLASS tile can be divided into two basic categories: Cast and Fused. Cast glass is a solid product that consists of a hot liquid that is poured and then cooled. The color is either applied to the back of the tile or within the glass itself. Fused glass is a layered product that literally "sandwiches" different pieces of glass together. It is then heated, or fused together to create one unit.

Due to the hand-made nature of many glass tiles, there will be a certain amount of variation in color, size, shade, tone and texture. Frequently, you may notice bubbles, wrinkles and folds in the tile; these are consistent with all glass products.

Substrates & Setting Materials

Glass tile can be specified for most tile applications. While most are for wall use only, some are suitable for light floor usage or underwater installations. Consult individual product guides to verify suitability for your specific installation location.

Glass tile has a wide range of properties requiring the use of the most stable substrates and specifically recommended setting materials. The potential for high expansion and contraction requires the installation of expansion/movement joints per TCA's EJ171-05 (unless otherwise noted). Suitable substrates include well-cured mortar beds, cementitious backer boards, concrete slabs and gypsum board. Caution: Directly bonding glass tile to wood substrates is NOT recommended. Some products may require the installation of a crack isolation membrane. Consult your manufacturer's recommendations if in doubt.

Appropriate setting materials include white latex modified thin sets such as Premium Plus Thin-Set Mortar mixed with Custom Flex Ultra-Strength Latex Additive, Non Sag Mortar mixed with Custom Flex Ultra-Strength Latex Additive, Super Flex Premium Latex Modified Thin-Set and Full Set Plus Premium Thin-Set Mortar mixed with Extra Flex Ultra-Strength Latex Additive.

It is strongly recommended that organic adhesives NOT be used in installation of glass tiles as they can yellow and their bonding strength is weaker. Epoxy is NOT recommended either since it is not flexible enough and may change color in ultra violet light.

Installation & Cutting

Inspect products before installation for any visible defect and/or other aspects that may be questionable (chipped edges, scratched surfaces, etc.) Installation of products constitutes acceptance of the product and no claims will be honored after installation.

The following are some installation notes and guidelines:

- Some products are "face" mounted. Be sure to verify which side to install prior to laying the tile, as the two surfaces may appear similar.
- Use a 3/16" x 1/4" notched trowel for even coverage. Back butter all glass tiles with a thin layer of the mortar to avoid seeing trowel marks and air pockets, as well as to ensure full contact. Do not exceed the recommended mortar thickness, as excessive shrinkage can occur as it cures which may result in cracked tile.
- Work in small areas of 4 to 6 square feet that can be accomplished in 15-20 minutes. This ensures the mortar remains fresh.
- Cuts can be made with a wet saw and a diamond-rimmed blade designed to cut glass tiles.
 Always wear eye protection when cutting, drilling or grinding glass tile. Blades designed for cutting ceramic tile are NOT to be used.

- Any cuts should be smoothed and dulled with a rub stone to avoid sharp edges.
- If holes need to be drilled, do so before installing the tile. Drill from both sides to help reduce chips and cracks. A new diamond-tipped core bit with a low speed drill will give the best results.
- Glass tile is non-absorbent. The moisture in the setting materials cannot migrate into the glass, it must evaporate slowly through the grout joints. This process requires a longer cure time. The installation should dry a minimum of 36 to 48 hours before grouting.

Grouting

- Prior to grouting, the tile surface should be cleaned of any residue with warm soapy water and a sponge or nylon bristle brush.
- Use standard polymer modified sanded or non-sanded grout depending on the product installed and joint size. Be careful with sanded grout as it may scratch the surface of some glass tile. Glass tiles can be face taped to protect the surface from scratching.
- White grout is generally the preferred color as it creates the greatest clarity and reflectivity of glass. Remember that glass is transparent and the color of the grouting materials will be visible from the edges of the tile.
- 48 hours after grouting, clean and polish the glass using cheese cloth and a non-acidic grout cleaner. Some grout cleaners may change the grout color, so test first.
- Although glass tile does not require a sealer, grout may be sealed with an appropriate grout sealer.
- Underwater installations should cure 3 to 4 weeks after grouting prior to filling with water. Not all glass tile is suitable for underwater installations.

Care & Maintenance

Wiping the glass surface with a damp sponge or cloth is usually sufficient. When stronger cleaning is needed, glass tile may be cleaned with any non-abrasive floor, wall or glass cleaner applied with a damp cloth or sponge. Residue from "hard water" can be removed with specific cleaners; however, these cleaners may affect colored grouts and a test should be made first in an inconspicuous place. Please see the Mosaic Glass Tile Care & Maintenance Guide for more information.

NOTE: The preceding instructions are meant to be a general guide to most installations under normal conditions. Please read and understand this information before installation. If you have no specific experience with the installation of glass products, or if you have any doubt about the installation, use and/or care of glass tile products, obtain professional installation and advice.

32

For samples, fax request to 866-480-TILE (8453) or email samples@mosaictileco.com





Alexandria, VA | Chantilly, VA | Fairfax, VA | Richmond, VA | Virginia Beach, VA North Bethesda, MD* | Owings Mills, MD* | Greensboro, NC | Raleigh, NC

www.mosaictileco.com



