

# Pietra Naturale

NATURAL STONE PROGRAM



mosaic



Products. Design. Solutions.  
[www.mosaictileco.com](http://www.mosaictileco.com)





Very High Shade Variation: Natural stone products have an extreme variation in color, shade, veining and texture. To ensure an even variation, blend stones from multiple cartons prior to installation.

## Table of Contents

Marble	
Waterjet Marble Mosaics . . . . .	2
Arabescato Marble . . . . .	6
Athens Gray Marble . . . . .	8
Blue Vecchio Marble . . . . .	10
Calacatta Marble. . . . .	11
Crema Barley Marble . . . . .	12
Dark Gray Marble . . . . .	13
Highland Gris Marble . . . . .	14
Italian Carrara Marble . . . . .	16
Mariner Marble . . . . .	18
Mountain Blue / Palissandro Marble . . . . .	19
Mystic Marble . . . . .	20
Thassos Marble . . . . .	22
Wooden White Marble . . . . .	24
Zebra / Marmala Marble . . . . .	26
Limestone	
Terra Dune Limestone. . . . .	27
Pebbles . . . . .	28
Natural Stone Guidelines. . . . .	29



QuickSHIP products are stocked in our Central Service Center. Orders placed before noon are available within 1 business day.





\* Star Thassos White and Shell  
(14x14.75 Sheet)  
53WATSTASHEP



\* Thassos Polished  
with Mirror Flower Inlay (1.17sf)  
53WATFLOTHAMIRP



\* Thassos Polished  
with Brass Floral Design (1.08sf)  
53WATFLOTHABRAP



\* Batik – Carrara White and  
Antique Mirror  
(8.19x11 Sheet)  
53CARANTP



\* Lux Bliss – Calacatta Polished  
and Gold  
(12.2x12 Sheet)  
53LUXBLI12P




\* Lux Posh – Calacatta Polished  
and Gold  
(11.41x14.37 Sheet)  
53LUXPOS1114P



\* Bellagio – Carrara White and  
Thassos  
(10.35x14.25 Sheet)  
53WATBELCARTHAP



\* Bellagio – Carrara White and  
Antique Mirror  
(10.35x14.25 Sheet)  
53WATBELCARANTP



\* Thassos with Mother  
of Pearl (14x19 Sheet)  
53WATTHAMOT1419M



\* Random Length Calacatta  
Polished with Gold Accents (.84sf)  
53WATCALGOLRANP



\* Lux Opulence – Calacatta  
Polished and Gold  
(11.02x10.24 Sheet)  
53LUXOPU1110P



\* Cubic – Blue, Satin,  
and Bianco Dolomite  
72WATCUB12



\* Peacock – Satin Polished (.91sf)  
72WATPEA1112



\* Fan – Satin Polished (.57sf)  
72WATFAN109



\* Rope – Amber Polished (.65sf)  
72WATROP812



#### Availability Notes

\* Special Order: Two week lead time plus freight pending availability.

† Limited Availability. Confirm inventory prior to ordering.

#### Installation Notes

Mosaics: Due to the addition of a resin mesh for added stability, TEC's Super Flex™ or 100% Solids Epoxy Mortar is required for proper installation.

Install Waterjet Mosaics with a light colored grout to best compliment. Mosaics sold on 12x12 Sheets unless noted.






\* Mini Arabesque  
Carrara White Polished  
(10.24x10.63 Sheet)  
53WATARACARP



† Trellis – Thassos and  
Carrara White  
(8.7x8.89 Sheet)  
53WATTRETHACARP



† Marrakech – Thassos  
and Carrara White  
(8.74x9.84 Sheet)  
53WATMARTHACARP



\* Thassos and Tunisian Gray  
(11.75x12.15 Sheet)  
53WATTHATUNP



\* White and Gray  
Elongated Hex and Diamond  
(15x12 Sheet)  
53MARWHIGRA1512EHD



\* Patterned Thassos White and  
Athens Gray  
53WATTHAATH12



\* Ribbon and Dot – Thassos and  
Calacatta White  
(12.5x13.15 Sheet)  
53WATTHACALP



\* Lux Lavish – Thassos and  
Carrara Polished  
(12.32x11.1 Sheet)  
53LUXLAV1211P




\* Carrara / Thassos Floral  
Polished (.58sf)  
53WATFLOCARTHAP



\* Lily – Thassos  
and Palissandro  
53WATTHAPAL12L




\* Astral White – Dolomite  
and Palissandro  
53WATASTWHI12



\* Astral Gray – Thassos  
and Palissandro  
53WATASTGRA12



Shell – Arabescato Polished  
(11x11.5 Sheet)  
53SHEARA12P



\* X Pattern Bianco Carrara  
and Thassos  
53WATCARTHA12X



\* Windows Arabescato  
and Black  
53WATWINARABLA12M




\* Tulip Thassos and Black  
53WATTULTHABLAP



\* Hex – Thassos, Carrara,  
and Black Water  
(14x16 Sheet)  
53WATHEXTHACARP





\* Arabescato with Carrara Border  
Polished Subway (.71sf)  
53SUBARACRP




1x3 Herringbone Boardwalk  
53HERARA13



Waterjet Polished Shell  
(11x11.5 Sheet)  
53SHEARA12P




Polished Basketweave  
with Athens Gray Dot  
53MARARAT12B




Polished Basketweave  
with Black Dot  
53MARARA12BM



Bianco Zebano Flat Pebble  
53PEBBIA12



1" Hexagon Polished  
53MARARA1HP



1" Hexagon Honed  
53MARARA1HH




\* 3" Hex Polished  
(13.15x11 Sheet)  
53MARARA3HP



\* 2x4 Brick Honed  
53MARARA24BH



\* Windows Arabescato  
and Black  
53WATWINARABLA12M



White Carrara Thresholds:  
2x36x3/4  
2x36x3/8  
4x28x5/8  
4x30x5/8  
4x36x5/8  
4x72x5/8  
6x72x5/8



\* 6" Hex Polished  
(12x10 Sheet)  
53MARARA6HP



#### Availability Notes

\* Special Order: Two week lead time plus freight pending availability.

† Limited Availability. Confirm inventory prior to ordering.

#### Installation Notes

Mosaics: Due to the addition of a resin mesh for added stability, TEC's Super Flex™ or 100% Solids Epoxy Mortar is required for proper installation.

Install Waterjet Mosaics with a light colored grout to best compliment. Mosaics sold on 12x12 Sheets unless noted.





Polished Basketweave  
with Athens Gray Dot  
53MARARAT12B




\* Patterned Thassos White  
and Athens Gray  
53WATTHAATH12



\* 3" Soft Harmony Feathers –  
Athens Gray, Wooden White,  
Carrara (9.65x9.69 Sheet)  
53FEASOF3



† 10" Shelf Honed  
53FIXATHCS10



† 4x36x3/4 Honed Threshold  
53436ATH34



\* Multi Square Honed  
53MARATH12MS



\* 2" Trinity Hex  
53HEXATH2T



\* Arrow Weave – Athens Gray,  
Wooden White, and Pure Black  
Honed (12x12.75 Sheet)  
53ARRWHIATH12H



Availability Notes

\* Special Order: Two week lead time  
plus freight pending availability.

† Limited Availability. Confirm  
inventory prior to ordering.

Installation Notes

We recommend installing Athens Gray Marble with Super Flex™ or  
epoxy mortar since these are moisture sensitive stones.

Mosaics: Due to the addition of a resin mesh for added stability,  
TEC's Super Flex™ or 100% Solids Epoxy Mortar is required for  
proper installation.

Mosaics sold on 12x12 Sheets unless noted.






\* 1x3 Herringbone  
Polished (1.09sf)  
72MARBLU13HP



\* 2" Hexagon Polished (.97sf)  
72MARBLU2HP



\* 3/4" Penny Round  
Polished (.80sf)  
72MARBLU34PP



#### Availability Notes

\* Special Order: Two week lead time plus freight pending availability.

#### Installation Notes

Mosaics: Due to the addition of a resin mesh for added stability, TEC's Super Flex™ or 100% Solids Epoxy Mortar is required for proper installation.

Mosaics sold on 12x12 Sheets unless noted.



\* Lux Opulence – Calacatta Pol,  
Gold (11.02x10.24 Sheet)  
53LUXOPU1110P



\* Lux Posh – Calacatta Polished  
and Gold (11.41x14.37 Sheet)  
53LUXPOS1114P



\* Lux Bliss – Calacatta Polished  
and Gold (12.2x12 Sheet)  
53LUXBLI12P



\* Random Length Calacatta  
Polished with Gold Accents (.84sf)  
53WATCALGOLRANP



#### Availability Notes

\* Special Order: Two week lead time plus freight pending availability.

#### Installation Notes

Mosaics: Due to the addition of a resin mesh for added stability, TEC's Super Flex™ or 100% Solids Epoxy Mortar is required for proper installation.

Install Waterjet Mosaics with a light colored grout to best compliment.  
Mosaics sold on 12x12 Sheets unless noted.



\* 5/8" Calacatta Polished  
53MARCAL58P



\* Ribbon and Dot – Thassos,  
Calacatta (12.5x13.15 Sheet)  
53WATTHACALP





\* 12x24 Honed  
72MARCRE1224H



\* 12x24 Polished  
72MARCRE1224P



#### Availability Notes

\* Special Order: Two week lead time plus freight pending availability.

#### Installation Notes

Very High Shade Variation: Natural stone products have an extreme variation in color, shade, veining and texture. To ensure an even variation, blend stones from multiple cartons prior to installation.




\* 3x6 Polished  
53MARDAR36P



\* 3/4x12 Polished Pencil  
53MARDAR112PP



\* Droplet Honed  
(10.67x12 Sheet)  
53DRODAR1112H



#### Availability Notes


\* Special Order: Two week lead time plus freight pending availability.

#### Installation Notes


Mosaics: Due to the addition of a resin mesh for added stability, TEC's Super Flex™ or 100% Solids Epoxy Mortar is required for proper installation.

Mosaics sold on 12x12 Sheets unless noted.





Insignia Chevron Honed  
72MARHIG12CH



† Insignia Chevron  
Polished  
72MARHIG12CP



† 2x2 Mosaic Polished  
72MARHIG2MP



10" Shelf Polished  
72FIXHIGCS10



3" Hexagon Honed  
72MARHIG3HH



† 3" Hexagon Polished  
72MARHIG3HP

1/2x12 Somerset Pencil  
Honed  
72MARHIG512SPH

1/2x12 Somerset Pencil  
Polished  
72MARHIG512SPP

2x12 Chair Rail Polished  
72MARHIG212CP



3x6 Honed  
72MARHIG36H



3x12 Honed  
72MARHIG312H



3x6 Polished  
72MARHIG36P



3x12 Polished  
72MARHIG312P



12x24 Honed  
72MARHIG1224H



12x24 Polished  
72MARHIG1224P

Note: All dolomitic stones tend to appear darker in color when the surface is polished whereas honed finishes appear lighter due of the nature of the duller surface. They also appear darker when they are wet. Field tile darkens significantly when installed.

Due to the inherent characteristics of this natural stone, the material will absorb moisture during the installation process and will look darker in appearance. As conditions will vary, it will take time for the product to fully cure and dry out.



Availability Notes

† Limited Availability. Confirm inventory prior to ordering.

Installation Notes

Mosaics: Due to the addition of a resin mesh for added stability, TEC's Super Flex™ or 100% Solids Epoxy Mortar is required for proper installation.

Mosaics sold on 12x12 Sheets unless noted.






\* 1x1 Polished  
53MARCAR1P



2" Polished Hex  
92MARCAR2HP



\* Waterjet Mini  
Arabesque  
(10.24x10.63 Sheet)  
53WATARACARP




\* 2x8 Elongated  
Polished Hexagon  
(12.75x15 Sheet)  
53MARCAR28EHP



† Trellis – Thassos and  
Carrara White  
(8.7x8.89 Sheet)  
53WATTRETHACARP



\* Polished Beveled  
Diamond  
(11.4x11.8 Sheet)  
53MARCAR1112DB



\* X Pattern Bianco  
Carrara and Thassos  
53WATCARTHA12X



\* 3" Soft Harmony  
Feathers – Athens Gray,  
Wooden White, Carrara  
(9.65x9.69 Sheet)  
53FEASOF3



\* Bellagio – Carrara White  
and Thassos  
(10.35x14.25 Sheet)  
53WATBELCARTHAP



\* Bellagio – Carrara White  
and Antique Mirror  
(10.35x14.25 Sheet)  
53WATBELCARANTP



† Marrakech – Thassos  
and Carrara White  
(8.74x9.84 Sheet)  
53WATMARTHACARP



\* Batik – Carrara White  
and Antique Mirror  
(8.19x11 Sheet)  
53CARANTP



\* Carrara / Thassos  
Floral Polished (.58sf)  
53WATFLOCARTHAP



\* Lux Lavish – Thassos  
and Carrara Polished  
(12.32x11.1 Sheet)  
53LUXLAV1211P



\* Arabescato with Carrara  
Border Polished Subway  
(.71sf)  
53SUBARACARP



\* Hex – Thassos, Carrara,  
and Black Water  
(14x16 Sheet)  
53WATHEXTHACARP



10" Corner Shelf  
92FIXCARCS10



White Carrara  
Thresholds:  
2x36x3/4  
2x36x3/8  
4x28x5/8  
4x30x5/8  
4x36x5/8  
4x72x5/8  
6x72x5/8



#### Availability Notes

\* Special Order: Two week lead time plus freight pending availability.

† Limited Availability. Confirm inventory prior to ordering.

#### Installation Notes

Mosaics: Due to the addition of a resin mesh for added stability, TEC's Super Flex™ or 100% Solids Epoxy Mortar is required for proper installation.

Install Waterjet Mosaics with a light colored grout to best compliment. Mosaics sold on 12x12 Sheets unless noted.






3x12 Leathered  
72MARMAR312L



† 10" Shelf Polished  
72FIXMARCS10



† 4x36x3/4 Threshold Polished  
72436MAR34



#### Availability Notes

Limited Availability. Confirm inventory prior to ordering.

#### Installation Notes

Mosaics: Due to the addition of a resin mesh for added stability, TEC's Super Flex™ or 100% Solids Epoxy Mortar is required for proper installation.

Mosaics sold on 12x12 Sheets unless noted.



\* Lily – Thassos and  
Palissandro  
53WATTHAPAL12L




\* Astral White  
– Dolomite and  
Palissandro  
53WATASTWHI12



\* Astral Gray – Thassos  
and Palissandro  
53WATASTGRA12



\* Mountain Blue Strip  
Honed (12.4x12 Sheet)  
53STRMOU12H



#### Availability Notes

\* Special Order: Two week lead time plus freight pending availability.

† Limited Availability. Confirm inventory prior to ordering.

#### Installation Notes

Mosaics: Due to the addition of a resin mesh for added stability, TEC's Super Flex™ or 100% Solids Epoxy Mortar is required for proper installation.

Mosaics sold on 12x12 Sheets unless noted.





3x6 Honed  
72MARMYS36H



3x6 Polished  
72MARMYS36P



1/2x12 Somerset Pencil Polished  
72MARMYS512SPH



honed



polished

Note: All dolomitic stones tend to appear darker in color when the surface is polished whereas honed finishes appear lighter due of the nature of the duller surface. They also appear darker when they are wet. Field tile darkens significantly when installed.



Availability Notes


Limited Availability. Confirm inventory prior to ordering.

Installation Notes

Mosaics: Due to the addition of a resin mesh for added stability, TEC's Super Flex™ or 100% Solids Epoxy Mortar is required for proper installation.

Mosaics sold on 12x12 Sheets unless noted.





\* Thassos Polished  
with Brass Floral Design  
(1.08sf)  
53WATFLOTHABRAP



\* Thassos Polished with  
Mirror Flower Inlay  
(1.17sf)  
53WATFLOTHAMIRP



\* Star Thassos White and  
Shell  
(14x14.75 Sheet)  
53WATSTASHEP




\* Bellagio – Carrara,  
Thassos (10.35x14.25 Sht)  
53WATBELCARTHAP




\* Lux Lavish – Thassos  
and Carrara Polished  
(12.32x11.1 Sheet)  
53LUXLAV1211P



\* Thassos White and  
Hot Glass (.84sf)  
53GLATHA11M



\* Thassos with Mother  
of Pearl (14x19 Sheet)  
53WATTHAMOT1419M



\* X Pattern Bianco  
Carrara and Thassos  
53WATCARTHA12X



† Trellis – Thassos and  
Carrara White  
(8.7x8.89 Sheet)  
53WATTRETHACARP




† Marrakech – Thassos  
and Carrara White  
(8.74x9.84 Sheet)  
53WATMARTHACARP




\* Carrara / Thassos  
Floral Polished (.58sf)  
53WATFLOCARTHAP



\* Ribbon and Dot –  
Thassos, Calacatta  
(12.5x13.15 Sheet)  
53WATTHACALP



\* Thassos 3" Hex  
Polished (12x10 Sheet)  
53MARTHA3HP



\* Thassos, Tunisian Gray  
(11.75x12.15 Sheet)  
53WATTHATUNP



\* Patterned Thassos  
White and Athens Gray  
53WATTHAATH12



\* Lily – Thassos  
and Palissandro  
53WATTHAPAL12L



\* White Thassos  
6x12 Polished Tile  
53MARTHA612P



\* Tulip Thassos  
and Black  
53WATTULTHABLAP



\* Hex – Thassos, Carrara,  
Black Water (14x16 Sht)  
53WATHEXTHACARP



\* Astral Gray – Thassos  
and Palissandro  
53WATASTGRA12



#### Availability Notes

\* Special Order: Two week lead time plus freight pending availability.

† Limited Availability. Confirm inventory prior to ordering.

#### Installation Notes

Mosaics: Due to the addition of a resin mesh for added stability, TEC's Super Flex™ or 100% Solids Epoxy Mortar is required for proper installation.

Install Waterjet Mosaics with a light colored grout to best compliment.

Mosaics sold on 12x12 Sheets unless noted.





† 3x6 Honed Vein Cut  
53MARWHI36H



\* Arrow Weave – Wooden White, Athens Gray, and Pure Black Honed (12x12.75 Sheet)  
53ARRWHIATH12H



\* Soft Harmony 3\"/>



† Resort Collection Relax Blend  
53RESREL12M




\* Galena Gray 3\"/>



† 10\"/>

† 20\"/>



Thresholds:  
† 4x36x3/4 Honed  
† 4x50x3/4 Honed



#### Availability Notes

\* Special Order: Two week lead time plus freight pending availability.

† Limited Availability. Confirm inventory prior to ordering.

#### Installation Notes

We recommend installing Wooden White Marble with Super Flex™ or epoxy mortar since these are moisture sensitive stones.

Mosaics: Due to the addition of a resin mesh for added stability, TEC's Super Flex™ or 100% Solids Epoxy Mortar is required for proper installation.

Mosaics sold on 12x12 Sheets unless noted.






Bianco Zebrano Flat Pebble  
53PEBBIA12



\* Marmala Chevron Polished  
(11.42x12.2 Sheet)  
53CHEMAR1112P



\* Zebra Basketweave with White  
Dot Polished (11.5x11.5 Sheet)  
53MARZEB12BM



\* Zebra 12x24 Polished  
53MARZEB1224P



\* Zebra 3x6 Chevron Polished  
(8.5x11.5 Sheet)  
53CHEZEB12P




#### Availability Notes

\* Special Order: Two week lead time plus freight pending availability.


#### Installation Notes

Mosaics: Due to the addition of a resin mesh for added stability, TEC's Super Flex™ or 100% Solids Epoxy Mortar is required for proper installation.

Install Waterjet Mosaics with a light colored grout to best compliment.  
Mosaics sold on 12x12 Sheets unless noted.



\* 12x24 Honed  
72LIMDUN1224H



\* 12x24 Polished  
72LIMDUN1224P



#### Availability Notes

\* Special Order: Two week lead time plus freight pending availability.

#### Installation Notes

Very High Shade Variation: Natural stone products have an extreme variation in color, shade, veining and texture. To ensure an even variation, blend stones from multiple cartons prior to installation.





Shadow Sliced  
47BOTSHA12SL



Shadow Blend Sliced  
47BOTSHABLE12SL



Cream Sliced  
47BOTCRE12SL



Blend Sliced  
47BOTBLE12SL



Khaki Sliced  
47BOTKHA12SL



Olive Sliced  
47BOTOLI12SL

Natural Stone tiles should be installed by an experienced and qualified tile contractor or stone mason. Since these are natural products, it is essential that the client and the installer use appropriate setting materials that are specifically designed for use with stone. Mosaic is happy to assist in the choice of setting materials, however, we cannot be held responsible for their use for any particular purpose. We recommend TEC and Custom Building Products installation materials and can provide you with more specific instructions based on your particular application. Since each stone is unique with respect to color, veining, structure, etc., any samples that are submitted are intended to merely suggest the final outcome. Due to the inherent characteristics of the material, variations are guaranteed and part of the natural beauty of each stone.

### Blending

Often the range and variation of patterns within one color and finish of stone is random – or it could be consistent. Since stone tiles are cut from large blocks, the patterning may be consistent within one carton but vary greatly from the next. Before starting an installation, it is imperative that all tiles be blended and sorted so the complete range can be seen. Mixing the tiles from all cartons will ensure a more uniform and well blended overall look.

### Dry Layout

Most natural stones are one of the following:

**Directional** – Grain running in one direction across the tile, like Onyx

**Figured** – Veins and markings running in swirls or a number of directions, like Marble

**Multi-Colored** – Sometimes subtle and sometimes dramatic color variations, like Slate

Directional tiles may be laid end-to-end, in a parquet pattern or random. Figured and multi-colored stones should be arranged like an abstract painting, with the owner, designer and installer rearranging the individual tiles in a sample area until the desired effect is obtained. Doing this dry run will eliminate any room for error.

### Installation Method

Consult the TEC or Custom Building Products setting materials guide for appropriate information for your specific stone and job conditions. Always use a premium white thinset for light colored stones, as the mortar may bleed through and stain the surface of the tile. If installing over a wood subfloor, ensure that the area is properly prepared to accept stone. Be sure to use a new glass or porcelain cutting blade to ensure clean, smooth cuts and to avoid potential splintering.

### Sealing, Care & Maintenance

All natural stone installations should be sealed both before and after grouting. Be sure that the surface is completely cleaned of any residual mortar prior to sealing. Grout the installation after the penetrating sealer has thoroughly dried. Choose a grout appropriate to your specific installation. Follow the manufacturer's instructions carefully.

A regular maintenance routine should be established for sealing and cleaning the installation. Neutral pH cleaners can be used for day-to-day maintenance, with more powerful cleaners or poultices for specific stains. The stone should be resealed at 1 to 3 years in commercial applications and after 2 to 6 years for residential.

See the Mosaic Natural Stone Care & Maintenance guide for more details.



### Installation Notes

Mosaics: Due to the addition of a resin mesh for added stability, TEC's Super Flex™ or 100% Solids Epoxy Mortar is required for proper installation.

Mosaics sold on 12x12 Sheets unless noted.



For samples, fax request to 866-480-TILE (8453)  
or email [samples@mosaictileco.com](mailto:samples@mosaictileco.com)



Alexandria, VA | Chantilly, VA | Fairfax, VA | Richmond, VA | Virginia Beach, VA  
North Bethesda, MD\* | Owings Mills, MD\* | Greensboro, NC | Raleigh, NC

[www.mosaictileco.com](http://www.mosaictileco.com)



Noted (\*) locations are  
100% wind powered!  
All locations support  
renewable power sources.

