





Very High Shade Variation: Natural stone products have an extreme variation in color, shade, veining and texture. To ensure an even variation, blend stones from multiple cartons prior to installation.

# Table of Contents

Marble	)	
Wa	terjet Marble Mosaics	2
	bescato Marble	
Ath	ens Gray Marble	8
Blu	e Vecchio Marble	. 10
Cal	acatta Marble	. 11
Cre	ma Barley Marble	. 12
Dar	k Gray Marble	. 13
Hig	hland Gris Marble	. 14
	an Carrara Marble	
Ма	riner Marble	. 18
Мо	untain Blue / Palissandro Marble	. 19
My	stic Marble	. 20
Tha	assos Marble	. 22
Wo	oden White Marble	. 24
Zek	ora / Marmala Marble	. 26
Limest	cone	
Teri	ra Dune Limestone	. 27
Pek	bbles	. 28
Nat	ural Stone Guidelines	. 29



QuickSHIP products are stocked in our Central Service Center. Orders placed before noon are available within 1 business day.






\* Bellagio - Carrara White and Thassos (10.35x14.25 Sheet) 53WATBELCARTHAP



\* Bellagio - Carrara White and **Antique Mirror** (10.35x14.25 Sheet) 53WATBELCARANTP



\* Thassos with Mother of Pearl (14x19 Sheet) 53WATTHAMOT1419M



\* Star Thassos White and Shell (14x14.75 Sheet) 53WATSTASHEP



\* Thassos Polished with Mirror Flower Inlay (1.17sf) 53WATFLOTHAMIRP



\* Thassos Polished with Brass Floral Design (1.08sf) 53WATFLOTHABRAP



\* Batik - Carrara White and **Antique Mirror** (8.19x11 Sheet) 53CARANTP



\* Lux Bliss - Calacatta Polished and Gold (12.2x12 Sheet) 53LUXBLI12P



\* Lux Posh – Calacatta Polished and Gold (11.41x14.37 Sheet) 53LUXPOS1114P



\* Random Length Calacatta Polished with Gold Accents (.84sf) 53WATCALGOLRANP



\* Lux Opulence - Calacatta Polished and Gold (11.02x10.24 Sheet) 53LUXOPU1110P



\* Cubic - Blue, Satin, and Bianco Dolomite 72WATCUB12



\* Peacock - Satin Polished (.91sf) 72WATPEA1112



\* Fan - Satin Polished (.57sf) 72WATFAN109



\* Rope – Amber Polished (.65sf) 72WATROP812

- \* Special Order: Two week lead time plus freight pending availability.
- <sup>†</sup> Limited Availability. Confirm inventory prior to ordering.

#### Installation Notes

Mosaics: Due to the addition of a resin mesh for added stability, TEC's Super Flex™ or 100% Solids Epoxy Mortar is required for proper installation.




\* Mini Arabesque Carrara White Polished (10.24x10.63 Sheet) 53WATARACARP



<sup>†</sup> Trellis – Thassos and Carrara White (8.7x8.89 Sheet) 53WATTRETHACARP



 Marrakech – Thassos and Carrara White (8.74x9.84 Sheet)
53WATMARTHACARP



\* Thassos and Tunisian Gray (11.75x12.15 Sheet) 53WATTHATUNP



\* White and Gray Elongated Hex and Diamond (15x12 Sheet) 53MARWHIGRA1512EHD



\* Patterned Thassos White and Athens Gray 53WATTHAATH12



\* Ribbon and Dot – Thassos and Calacatta White (12.5x13.15 Sheet) 53WATTHACALP



\* Lux Lavish – Thassos and Carrara Polished (12.32x11.1 Sheet) 53LUXLAV1211P



\* Carrara / Thassos Floral Polished (.58sf) 53WATFLOCARTHAP



\* Lily – Thassos and Palissandro 53WATTHAPAL12L




\* Astral White – Dolomite and Palissandro 53WATASTWHI12



\* Astral Gray – Thassos and Palissandro 53WATASTGRA12



† Shell – Arabescato Polished (11x11.5 Sheet) 53SHEARA12P



\* X Pattern Bianco Carrara and Thassos 53WATCARTHA12X



\* Windows Arabescato and Black 53WATWINARABLA12M



\* Tulip Thassos and Black 53WATTULTHABLAP



\* Hex – Thassos, Carrara, and Black Water (14x16 Sheet) 53WATHEXTHACARP






1" Hexagon Polished 53MARARA1HP



1" Hexagon Honed 53MARARA1HH



\* 3" Hex Polished (13.15x11 Sheet) 53MARARA3HP



\* Arabescato with Carrara Border Polished Subway (.71sf) 53SUBARACARP



1x3 Herringbone Boardwalk 53HERARA13



† Shell – Arabescato Polished (11x11.5 Sheet) 53SHEARA12P



Polished Basketweave with Black Dot 53MARARA12BM



Bianco Zebrano Flat Pebble 53PEBBIA12



Polished Basketweave

with Athens Gray Dot

53MARARAT12B

\* 2x4 Brick Honed 53MARARA24BH



53WATWINARABLA12M



\* Windows Arabescato and Black



4x30x5/8 4x36x5/8 4x72x5/8 6x72x5/8



## Availability Notes

\* Special Order: Two week lead time plus freight pending availability.

<sup>†</sup> Limited Availability. Confirm inventory prior to ordering.

### **Installation Notes**

Mosaics: Due to the addition of a resin mesh for added stability, TEC's Super Flex™ or 100% Solids Epoxy Mortar is required for proper installation.



\* 6" Hex Polished (12x10 Sheet) 53MARARA6HP







\* Multi Square Honed 53MARATH12MS



\* Arrow Weave – Athens Gray, Wooden White, and Pure Black Honed (12x12.75 Sheet) 53ARRWHIATH12H



Polished Basketweave with Athens Gray Dot 53MARARAT12B



\* Patterned Thassos White and Athens Gray 53WATTHAATH12



\* 3" Soft Harmony Feathers -Athens Gray, Wooden White, Carrara (9.65x9.69 Sheet) 53FEASOF3



† 10" Shelf Honed 53FIXATHCS10





\* Special Order: Two week lead time plus freight pending availability.

<sup>†</sup> Limited Availability. Confirm inventory prior to ordering.

### Installation Notes

We recommend installing Athens Gray Marble with Super Flex™ or epoxy mortar since these are moisture sensitive stones.

Mosaics: Due to the addition of a resin mesh for added stability, TEC's Super Flex™ or 100% Solids Epoxy Mortar is required for proper installation.





1x3 Herringbone Polished (1.09sf) 72MARBLU13HP



2" Hexagon Polished (.97sf) 72MARBLU2HP



3/4" Penny Round Polished (.80sf) 72MARBLU34PP

Special Order: Two week lead time plus freight pending availability.

#### Installation Notes

Mosaics: Due to the addition of a resin mesh for added stability, TEC's Super Flex™ or 100% Solids Epoxy Mortar is required for proper installation.

Mosaics sold on 12x12 Sheets unless noted.



Lux Opulence - Calacatta Pol, Gold (11.02x10.24 Sheet) 53LUXOPU1110P



Lux Posh - Calacatta Polished and Gold (11.41x14.37 Sheet) 53LUXPOS1114P



Lux Bliss - Calacatta Polished and Gold (12.2x12 Sheet) 53LUXBLI12P



Random Length Calacatta Polished with Gold Accents (.84sf) 53WATCALGOLRANP






5/8" Calacatta Polished 53MARCAL58P



Ribbon and Dot - Thassos, Calacatta (12.5x13.15 Sheet) 53WATTHACALP

### **Availability Notes**

Special Order: Two week lead time plus freight pending availability.



Mosaics: Due to the addition of a resin mesh for added stability, TEC's Super Flex™ or 100% Solids Epoxy Mortar is required for proper installation.

Install Waterjet Mosaics with a light colored grout to best compliment.

Mosaics sold on 12x12 Sheets unless noted.



MARB





12x24 Honed 72MARCRE1224H



12x24 Polished 72MARCRE1224P





3x6 Polished 53MARDAR36P

3/4x12 Polished Pencil 53MARDAR112PP



Droplet Honed (10.67x12 Sheet) 53DRODAR1112H

## Availability Notes

Special Order: Two week lead time plus freight pending availability.

### Installation Notes

Very High Shade Variation: Natural stone products have an extreme variation in color, shade, veining and texture. To ensure an even variation, blend stones from multiple cartons prior to installation.

# VERY HIGH Shade Variation

## Availability Notes

Special Order: Two week lead time plus freight pending availability.

### Installation Notes

Mosaics: Due to the addition of a resin mesh for added stability, TEC's Super Flex™ or 100% Solids Epoxy Mortar is required for proper installation.







3x6 Honed 72MARHIG36H



3x12 Honed 72MARHIG312H



72MARHIG36P

3x12 Polished 72MARHIG312P



12x24 Honed 72MARHIG1224H



12x24 Polished 72MARHIG1224P



### Availability Notes

<sup>†</sup> Limited Availability. Confirm inventory prior to ordering.



### Installation Notes

Mosaics: Due to the addition of a resin mesh for added stability, TEC's Super Flex $^{TM}$  or 100% Solids Epoxy Mortar is required for proper installation.


Mosaics sold on 12x12 Sheets unless noted.



Insignia Chevron Honed 72MARHIG12CH

3" Hexagon Honed

72MARHIG3HH



Honed † Insignia Chevron 2CH Polished



† 3" Hexagon Polished 72MARHIG3HP



10" Shelf Polished 72FIXHIGCS10

1/2x12 Somerset Pencil Honed 72MARHIG512SPH

1/2x12 Somerset Pencil Polished 72MARHIG512SPP

2x12 Chair Rail Polished 72MARHIG212CP

Note: All dolomitic stones tend to appear darker in color when the surface is polished whereas honed finishes appear lighter due of the nature of the duller surface. They also appear darker when they are wet. Field tile darkens significantly when installed.

Due to the inherent characteristics of this natural stone, the material will absorb moisture during the installation process and will look darker in appearance. As conditions will vary, it will take time for the product to fully cure and dry out.







\* Bellagio – Carrara White and Thassos (10.35x14.25 Sheet) 53WATBELCARTHAP



Bellagio - Carrara White and Antique Mirror (10.35x14.25 Sheet) 53WATBELCARANTP



<sup>†</sup> Marrakech – Thassos and Carrara White (8.74x9.84 Sheet) 53WATMARTHACARP



\* 1x1 Polished 53MARCAR1P



<sup>†</sup> 2" Polished Hex 92MARCAR2HP



\* Waterjet Mini Arabesque (10.24x10.63 Sheet) 53WATARACARP



\* 2x8 Elongated Polished Hexagon (12.75x15 Sheet) 53MARCAR28EHP



<sup>†</sup> Trellis – Thassos and Carrara White (8.7x8.89 Sheet) 53WATTRETHACARP



\* Polished Beveled Diamond (11.4x11.8 Sheet) 53MARCAR1112DB



\* X Pattern Bianco Carrara and Thassos 53WATCARTHA12X



\* 3" Soft Harmony Feathers – Athens Gray, Wooden White, Carrara (9.65x9.69 Sheet) 53FEASOF3



\* Carrara / Thassos Floral Polished (.58sf) 53WATFLOCARTHAP



\* Lux Lavish - Thassos and Carrara Polished (12.32x11.1 Sheet) 53LUXLAV1211P



\* Arabescato with Carrara Border Polished Subway (.71sf)53SUBARACARP



\* Batik - Carrara White

and Antique Mirror

(8.19x11 Sheet)

53CARANTP

\* Hex - Thassos, Carrara, and Black Water (14x16 Sheet) 53WATHEXTHACARP



† 10" Corner Shelf 92FIXCARCS10



Thresholds: 2x36x3/4 2x36x3/8 4x28x5/8 4x30x5/8 4x36x5/8 4x72x5/8 6x72x5/8



Availability Notes


\* Special Order: Two week lead time plus freight pending availability.

<sup>†</sup> Limited Availability. Confirm inventory prior to ordering.

#### Installation Notes

Mosaics: Due to the addition of a resin mesh for added stability, TEC's Super Flex™ or 100% Solids Epoxy Mortar is required for proper installation.





3x12 Leathered 72MARMAR312L



10" Shelf Polished 72FIXMARCS10







Lily – Thassos and Palissandro 53WATTHAPAL12L



Astral White – Dolomite and Palissandro 53WATASTWHI12



Astral Gray – Thassos and Palissandro 53WATASTGRA12



Mountain Blue Strip Honed (12.4x12 Sheet) 53STRMOU12H




Limited Availability. Confirm inventory prior to ordering.

### Installation Notes

Mosaics: Due to the addition of a resin mesh for added stability, TEC's Super Flex $^{\text{TM}}$  or 100% Solids Epoxy Mortar is required for proper installation.

Mosaics sold on 12x12 Sheets unless noted.



\* Special Order: Two week lead time plus freight pending availability.

### Installation Notes

Mosaics: Due to the addition of a resin mesh for added stability, TEC's Super Flex™ or 100% Solids Epoxy Mortar is required for proper installation.







3x6 Honed 72MARMYS36H



3x6 Polished 72MARMYS36P

1/2x12 Somerset Pencil Polished 72MARMYS512SPH



## Availability Notes

Limited Availability. Confirm inventory prior to ordering.

## Installation Notes


Mosaics: Due to the addition of a resin mesh for added stability, TEC's Super Flex™ or 100% Solids Epoxy Mortar is required for proper installation.

Mosaics sold on 12x12 Sheets unless noted.





Note: All dolomitic stones tend to appear darker in color when the surface is polished whereas honed finishes appear lighter due of the nature of the duller surface. They also appear darker when they are wet. Field tile darkens significantly when installed.





\* Thassos Polished with Brass Floral Design (1.08sf)53WATFLOTHABRAP



\* Thassos Polished with Mirror Flower Inlay (1.17sf)53WATFLOTHAMIRP



\* Star Thassos White and Shell (14x14.75 Sheet) 53WATSTASHEP



\* Bellagio - Carrara, Thassos (10.35x14.25 Sht) 53WATBELCARTHAP



\* Lux Lavish - Thassos and Carrara Polished (12.32x11.1 Sheet) 53LUXLAV1211P



<sup>†</sup> Trellis – Thassos and Carrara White (8.7x8.89 Sheet) 53WATTRETHACARP



Polished (12x10 Sheet) 53MARTHA3HP

\* White Thassos



6x12 Polished Tile 53MARTHA612P



\* Thassos White and Hot Glass (.84sf) 53GLATHA11M

(8.74x9.84 Sheet)

(11.75x12.15 Sheet)

53WATTHATUNP



\* Thassos with Mother of Pearl (14x19 Sheet) 53WATTHAMOT1419M



\* X Pattern Bianco Carrara and Thassos 53WATCARTHA12X



<sup>†</sup> Marrakech – Thassos \* Carrara / Thassos and Carrara White Floral Polished (.58sf) 53WATFLOCARTHAP 53WATMARTHACARP





\* Ribbon and Dot -Thassos, Calacatta (12.5x13.15 Sheet) 53WATTHACALP



\* Patterned Thassos White and Athens Gray 53WATTHAATH12



\* Lily – Thassos and Palissandro 53WATTHAPAL12L



\* Tulip Thassos and Black 53WATTULTHABLAP



Hex - Thassos, Carrara, Black Water (14x16 Sht) 53WATHEXTHACARP



\* Astral Gray – Thassos and Palissandro 53WATASTGRA12



Availability Notes

\* Special Order: Two week lead time plus freight pending availability.

<sup>†</sup> Limited Availability. Confirm inventory prior to ordering.

### Installation Notes

Mosaics: Due to the addition of a resin mesh for added stability, TEC's Super Flex™ or 100% Solids Epoxy Mortar is required for proper installation.





<sup>†</sup> 3x6 Honed Vein Cut 53MARWHI36H



\* Arrow Weave – Wooden White, Athens Gray, and Pure Black Honed (12x12.75 Sheet) 53ARRWHIATH12H



\* Soft Harmony 3" Feathers – Athens Gray, Wooden White, and Carrara (9.65x9.69 Sheet) 53FEASOF3



† Resort Collection Relax Blend 53RESREL12M



† 4x36x3/4 Honed † 4x50x3/4 Honed

Thresholds:



† 10" Shelf Honed 53FIXWHICS10

† 20" Corner Seat Honed 53FIXWHICS20



## Availability Notes

\* Special Order: Two week lead time plus freight pending availability.

<sup>†</sup> Limited Availability. Confirm inventory prior to ordering.

### Installation Notes

We recommend installing Wooden White Marble with Super Flex<sup>™</sup> or epoxy mortar since these are moisture sensitive stones.

Mosaics: Due to the addition of a resin mesh for added stability, TEC's Super Flex<sup>TM</sup> or 100% Solids Epoxy Mortar is required for proper installation.





\* Zebra 3x6 Chevron Polished (8.5x11.5 Sheet) 53CHEZEB12P



Bianco Zebrano Flat Pebble 53PEBBIA12




\* Marmala Chevron Polished (11.42x12.2 Sheet) 53CHEMAR1112P



\* Zebra Basketweave with White Dot Polished (11.5x11.5 Sheet) 53MARZEB12BM






12x24 Honed 72LIMDUN1224H



12x24 Polished 72LIMDUN1224P





\* Special Order: Two week lead time plus freight pending availability.

### Installation Notes

Mosaics: Due to the addition of a resin mesh for added stability, TEC's Super Flex™ or 100% Solids Epoxy Mortar is required for proper installation.

Install Waterjet Mosaics with a light colored grout to best compliment. Mosaics sold on 12x12 Sheets unless noted.



## Availability Notes

Special Order: Two week lead time plus freight pending availability.

### Installation Notes

Very High Shade Variation: Natural stone products have an extreme variation in color, shade, veining and texture. To ensure an even variation, blend stones from multiple cartons prior to installation.







Khaki Sliced 47BOTKHA12SL



Shadow Blend Sliced 47BOTSHABLE12SL



Cream Sliced 47BOTCRE12SL



Blend Sliced 47BOTBLE12SL





Mosaics: Due to the addition of a resin mesh for added stability, TEC's Super Flex™ or 100% Solids Epoxy Mortar is required for

Mosaics sold on 12x12 Sheets unless noted.



Shadow Sliced 47BOTSHA12SL







Olive Sliced

47BOTOLI12SL

proper installation.

Natural Stone tiles should be installed by an experienced and qualified tile contractor or stone mason. Since these are natural products, it is essential that the client and the installer use appropriate setting materials that are specifically designed for use with stone. Mosaic is happy to assist in the choice of setting materials, however, we cannot be held responsible for their use for any particular purpose. We recommend TEC and Custom Building Products installation materials and can provide you with more specific instructions based on your particular application. Since each stone is unique with respect to color, veining, structure, etc., any samples that are submitted are intended to merely suggest the final outcome. Due to the inherent characteristics of the material, variations are guaranteed and part of the natural beauty of each stone.

## Blendina

Often the range and variation of patterns within one color and finish of stone is random – or it could be consistent. Since stone tiles are cut from large blocks, the patterning may be consistent within one carton but vary greatly from the next. Before starting an installation, it is imperative that all tiles be blended and sorted so the complete range can be seen. Mixing the tiles from all cartons will ensure a more uniform and well blended overall look.

## Dry Layout

Most natural stones are one of the following:

Directional – Grain running in one direction across the tile, like Onyx

Figured – Veins and markings running in swirls or a number of directions, like Marble

Multi-Colored – Sometimes subtle and sometimes dramatic color variations, like Slate

Directional tiles may be laid end-to-end, in a parquet pattern or random. Figured and multicolored stones should be arranged like an abstract painting, with the owner, designer and installer rearranging the individual tiles in a sample area until the desired effect is obtained. Doing this dry run will eliminate any room for error.

### Installation Method

Consult the TEC or Custom Building Products setting materials guide for appropriate information for your specific stone and job conditions. Always use a premium white thinset for light colored stones, as the mortar may bleed through and stain the surface of the tile. If installing over a wood subfloor, ensure that the area is properly prepared to accept stone. Be sure to use a new glass or porcelain cutting blade to ensure clean, smooth cuts and to avoid potential splintering.

## Sealing, Care & Maintenance

All natural stone installations should be sealed both before and after grouting. Be sure that the surface is completely cleaned of any residual mortar prior to sealing. Grout the installation after the penetrating sealer has thoroughly dried. Choose a grout appropriate to your specific installation. Follow the manufacturer's instructions carefully.

A regular maintenance routine should be established for sealing and cleaning the installation. Neutral pH cleaners can be used for day-to-day maintenance, with more powerful cleaners or poultices for specific stains. The stone should be resealed at 1 to 3 years in commercial applications and after 2 to 6 years for residential.

See the Mosaic Natural Stone Care & Maintenance guide for more details.



# For samples, fax request to 866-480-TILE (8453) or email samples@mosaictileco.com



Alexandria, VA | Chantilly, VA | Fairfax, VA | Richmond, VA | Virginia Beach, VA North Bethesda, MD\* | Owings Mills, MD\* | Greensboro, NC | Raleigh, NC

www.mosaictileco.com















